


# Procédés Hallier Collection

◉ **Linear LED Strip** 10W/m

Linear

## LED R66



A tool at the service of professionals



Made in France

D e s i g n e r - M a n u f a c t u r e r

[www.procedeshallier.fr](http://www.procedeshallier.fr)



# Procédés Hallier Collection


## Linear LED Strip 10W/m

Linear

# LED R66



### LED R66 RANGE - CUSTOMISED ASSEMBLY



A lighting line range for perfectly regular and homogeneous lighting.

Application: Elegant presentation of a specific zone, space, path, object, work of art...

### Technical data



Power: 10W/m


CRI95 in 2700 K, 3000 K and in 4000 K

External LED driver


Voltage In: 24V

Operating life: L80B20 = 50 000 h (Ta=25°C)

Operating temperature: -20°C / +45°C



### Dimensions (mm)



LUMINOSITY / METER	POWER / METER	LIGHTING EFFICIENCY	CCT
1000 lm/m	10,5 W/m	95 lm/W	2700 K
1000 lm/m	9,5 W/m	105 lm/W	3000 K
1000 lm/m	8,7 W/m	115 lm/W	4000 K

LED R66 is self-dissipating, it can be directly glued on any type of surface and does not necessarily require an aluminum profile.



Made in France

Factory & Head office: 69, rue Victor Hugo 93100 MONTREUIL - FRANCE  
Tel. +33 (0)1 48 51 79 88 • [contact@procedeshallier.fr](mailto:contact@procedeshallier.fr)



# Procédés Hallier Collection

## ► Profile range

Profile


## LOW HEIGHT MOUNTED PROFILE



### ► PROFILES

Supplied as standard with a length of 2m

Dimensions (mm)



Maximum heat dissipation: 16W/m


Max. strip width

10 mm


Available finishes

  
White  
(lacquer RAL9016)

  
Stainless steel  
(anodized)

  
Black  
(anodized)

  
Aluminium  
(anodized)

  
Aluminium  
(raw)

### ► DIFFUSERS

Supplied as standard with a length of 2m

Diffusers



Transparent



Diffuse



Opal

Transmission coefficient

95%

78%

51%

Diffusers with extruded lenses 15° or 30° available on request

### ► ACCESSORIES

Finishing end pieces



Straight - With hole



Straight - Without hole

Available finishes

Grey

Black

White

Stainless steel

Grey

Black

White

Stainless steel

Mounting clips



Mini

Available finishes

Transparent

White

Black

Installation

3 mountings clips for a 2m profile



Made in France

Factory & Head office: 69, rue Victor Hugo 93100 MONTREUIL - FRANCE  
Tel. +33 (0)1 48 51 79 88 • [contact@procedeshallier.fr](mailto:contact@procedeshallier.fr)



# Procédés Hallier Collection

## ► Power supply range

Power supply

### DIMMABLE DRIVER 24V 1-10V IP67


#### ► DRIVER



Dimensions (mm)	L. 150	l. 53	h. 35
Power	60 W		
Max. length of 10 W/m strip	5 m / power supply		

#### ► WIRING

Wiring diagram with 1-10 V button or potentiometer



Maximum length of LED band on one line: maximum 7,5m  
More than 7,5m, split the power supply with a new line.



Made in France

Factory & Head office: 69, rue Victor Hugo 93100 MONTREUIL - FRANCE  
Tel. +33 (0)1 48 51 79 88 • [contact@procedeshallier.fr](mailto:contact@procedeshallier.fr)

